



DIKEY PLATFORM

Star 10

Akülü Dikey Platform

10 m Çalışma yüksekliği	— kg Kaldırma kapasitesi	8 m Platform yüksekliği	2.735 kg Ağırlık
-----------------------------------	------------------------------------	-----------------------------------	----------------------------

+90 216 999 95 99

info@skyriseplatform.com

skyriseplatform.com

İhlamurkuyu Mah. Şendal Sok. No: 2 · Ümraniye / İstanbul



Ürün sayfası

VERTICAL MASTS



STAR 10



OPTIMAL AGILITY IN CONFINED WORKING AREAS

- > Progressive electric drive
AC motors
- > Zero tail swing
- > 3 m outreach vertical jib

MINIMAL MAINTENANCE & DOWNTIME

- > Maintenance free brushless
AC motors
- > Haulotte Activ'Screen
(onboard diagnostic)
- > Haulotte Activ'Energy
Management takes care
of your batteries
- > Almost 0 battery maintenance:
automatic & centralized
waterfilling system

LONGER LIFE TIME

- > Unbreakable hoods in
composite material
- > Durability multiplied by 3 on
pins, bushes, non-painted
parts and fastening hardware

SMART TRANSPORTABILITY

- > Versatile and effective
transport solutions with
forklift tine pockets
- > 25 % gradeability to easily
climb truck ramps


STAR 10

VERTICAL MASTS

TECHNICAL DATA

STAR 10

Working height	10 m
Platform height	8 m
Horizontal outreach	3 m
Lift capacity - inside	200 kg [2 pers.]
Lift capacity - outside	200 kg [1 pers.]
Platform size	0.78 x 0,98 m
A Length	2.7 m
B Width	1 m
C Height - stowed	1.99 m
Tailswing	0 cm
D Wheelbase	1.2 m
E Ground clearance	10 cm
Max driveable platf. height	8 m
Drive speed proportional	0.6 - 5 km/h
Turning radius - outside	1.88 m
Turntable rotation	345 °
Vertical jib rotation	130° (+ 70 ° / - 60 °)
Tilt alarm	3 °
Gradeability	25 %
Tyres - non marking	16 x 5 x 10.5
Hydraulic system capacity	7 l
Power source	24 V - 250 Ah
Weight	2 677 kg




STANDARD EQUIPMENT

- > Haulotte Activ'Energy Management: Smart CAN charger
- > Automatic centralized battery filling
- > 24 V electric drive brushless AC motors
- > 24 V - 250 Ah traction batteries
- > Battery charge indicator
- > On-board diagnostic tool Haulotte Activ'Screen
- > Forklift tine pockets
- > Towing hooks and lifting eyes
- > Passive potholes
- > 2 steer driving wheels
- > 2 front steering wheels
- > Non-marking tires
- > Brake release
- > Hourmeter
- > Horn
- > Emergency stop buttons at cage and ground level
- > Load controller in the platform
- > Emergency hand pump
- > 2 control stations at cage and ground level
- > 2 rings in the platform for safety harnesses
- > Drop bar entry
- > Travel alarm

OPTIONS AND ACCESSORIES

- > Haulotte Activ'Shield Bar
- > Power line in platform
- > Air line in platform
- > Swing door entry gate
- > Biodegradable oil
- > Maintenance-free batteries
- > Telematics ready
- > Hydraulic oil for cold countries
- > Flashing light
- > Working light



2420327190 - Non contractual document - We reserve the right to modify the technical characteristics of this document without notice - 05/2021

Yükseklerde bizimle güvendesiniz

Makaslı, eklemli, teleskopik, dikey, çekilebilir, paletli ve araçüstü platformlardan oluşan geniş kiralık filo; belgeli ve bakımlı olarak teslim edilir. İhtiyacınıza uygun makineyi birlikte seçelim.

- ✓ Ücretsiz keşif ve makine seçimi
- ✓ Periyodik kontrol ve CE evrakları
- ✓ Operatör eğitimi
- ✓ Türkiye geneli nakliye ve teslimat
- ✓ Kiralama boyunca bakım ve yerinde servis
- ✓ 7/24 saha destek hattı

1.500+

kurumsal müşteri

CE belgeli

kontrollü teslimat

Türkiye geneli

nakliye

7/24

saha desteği

İLETİŞİM

+90 216 999 95 99

WhatsApp +90 536 915 98 11

info@skyriseplatform.com

skyriseplatform.com

İhlamurkuyu Mah. Şendal Sok. No: 2 · Ümraniye / İstanbul



Ürün sayfası