



## VERTICAL MAST LIFT

# Star 6

Electric Vertical Mast Lift

Models covered: Star 6, Star 6 CRAWLER

**5.8** m

Working height

**200** kg

Platform capacity

**3.8** m

Platform height

**780** kg

Weight

**+90 216 999 95 99**

info@skyriseplatform.com

skyriseplatform.com

İhlamurkuyu Mah. Şendal Sok. No: 2 · Ümraniye / İstanbul




Product page

## VERTICAL MASTS



### STAR 6



#### GO EVERYWHERE

- > High precision driving & smoothness
- > Comfort & agility
- > Indoor / outdoor rated (versatile)
- > Easy access to the platform
- > Smart transportability & lifting

#### WITH THE BEST VALUE FOR MONEY

- > Haulotte Activ'Energy Management takes care of your batteries
- > Easy access to components
- > Smart mast system
- > Minimal maintenance & downtime
- > Direct electric drive with brushless AC motors
- > Haulotte Activ'Screen (onboard diagnostic)


# STAR 6

## VERTICAL MASTS

## TECHNICAL DATA

### STAR 6

|                                       |                          |
|---------------------------------------|--------------------------|
| Working height                        | 5.8 m                    |
| Platform height                       | 3.8 m                    |
| Horizontal outreach                   | 0.4 m extension (option) |
| Lift capacity - inside                | 230 kg (2 pers.)         |
| Lift capacity - outside               | 230 kg (1 pers.)         |
| <b>A</b> Length                       | 1.4 m                    |
| <b>B</b> Width                        | 0.79 m                   |
| <b>C</b> Height - stowed              | 1.8 m                    |
| <b>D</b> Wheelbase                    | 1.06 m                   |
| <b>E</b> Ground clearance             | 6 cm                     |
| Platform size                         | 0.77 x 1.38 m            |
| Platform size with extension (option) | 0.77 x 1.30 + 0.4 m      |
| Drive speed proportional              | 0.8 - 4.5 km/h           |
| Turning radius - outside              | 1.7 m                    |
| Tilt alarm                            | 1.5° / 3°                |
| Gradeability                          | 25 %                     |
| Max driveable platf. height           | 3.8 m                    |
| Tyres - non marking                   | 318 x 108                |
| Power source                          | 12 V - 105 Ah (C5)       |
| Weight                                | 862 kg                   |




## STANDARD EQUIPMENTS

- > Haulotte Activ'Energy Management: Smart CAN charger
- > 24 V electric drive brushless AC motors
- > 2 x 12 V - 105 Ah batteries
- > Battery charge indicator
- > Haulotte Activ'Screen
- > Fork lifting eyes
- > Hoisting and lifting eyes
- > Swing door entry gate
- > Mobile potholes
- > 2 front steering wheels
- > 2 rear driving wheels
- > Non marking tyres
- > Brake release
- > Hourmeter
- > Horn
- > Travel alarm
- > Emergency stop
- > Emergency hand pump
- > 2 control stations at cage and ground level
- > Mobile upper control box
- > 2 towing hooks
- > Protection baseboard
- > Overload sensor

## OPTIONS AND ACCESSORIES

- > Haulotte Activ'Energy Management: automatic or manual battery waterfilling systems
- > Upper control box protection cover
- > Tool tray
- > Platform extension deck + 0.4 m (height stowed: 1.8 m)
- > Power line in platform
- > Ground-fault circuit interrupter 30 mA
- > Telematics ready
- > Biodegradable oil
- > Hydraulic oil for cold countries
- > Flashing light
- > Fluorescent tube caddy



# At height, you're safe with us

A large hire fleet of scissor, articulated, telescopic, vertical mast, trailer-mounted, tracked and truck-mounted platforms, delivered fully documented and well maintained. Let us help you choose the right machine.

- ✓ Free site survey and machine selection
- ✓ Periodic inspection and CE paperwork
- ✓ Operator training
- ✓ Transport and delivery across Türkiye
- ✓ Maintenance and on-site service throughout the hire
- ✓ 24/7 on-site support line

**1,500+**

corporate clients

**CE-marked**

inspected delivery

**Across Türkiye**

transport

**24/7**

on-site support

## CONTACT


**+90 216 999 95 99**

WhatsApp +90 536 915 98 11

info@skyriseplatform.com

skyriseplatform.com

İhlamurkuyu Mah. Şendal Sok. No: 2 · Ümraniye / İstanbul



Product page