

VERTICAL MAST LIFT

AMWP6-8300

Electric Vertical Mast Lift

MANUFACTURER · DINGLI



+90 216 999 95 99

info@skyriseplatform.com

skyriseplatform.com

İhlamurkuyu Mah. Şendal Sok. No: 2 · Ümraniye / İstanbul



Ask on WhatsApp

DINGLI

Exceed · New Height

AMWP6-8300

Self-propelled Vertical Lifts

SPECIFICATIONS




Size		Metric	British
Max. Working Height	A	5.66m	18'7"
Max. Platform Height	B	3.66m	12'
Overall Length	C	1.36m	4' 5"
Overall Width	D	0.76m	2' 6"
Overall Height	E	1.67m	5' 6"
Platform Size(Length ×Width)		1.28m×0.68m	4' 2"×2' 3"
Ground Clearance(Stowed/Raised)		0.07m/0.02m	3"/1"
Wheelbase	F	1.04m	3'5"
Turning Radius(Inside)		0m	0m
Tyres		Φ323x100mm	Φ323x100mm

Performance			
S.W.L		227kg	501lb
Max. Occupants(Indoor)		1	1
Gradeability		25%	25%
Travel Speed(Stowed)		≥4.8km/h	≥2.98mph
Travel Speed(Raised)		≥0.8km/h	≥0.49mph
Max. Working Slope		3.4°/3.4°	3.4°/3.4°
Up/Down Speed		17s/21s	17s/21s

Weight			
Overall Weight		800kg	1764lb

Power			
Lead-Acid Battery		24V/224Ah	24V/224Ah
Lithium Battery ★		24V/150Ah	24V/150Ah
Charger		24VDC/30A	24VDC/30A
Driving Motor		2×15VAC/0.5kW	2×15VAC/0.5kW
Pump		24VDC 2.2kW	24VDC 2.2kW
Lifting Cylinder (Total Stroke)		Three-Stage Cylinder (3140 mm)	Three-Stage Cylinder (3140 mm)
Drive Mode		Front Drive Front Steering	Front Drive Front Steering

Note: Parameters with "★" are optional



Exceed · New Height

DINGLI

Exceed · New Height

AMWP6-8300

Self-propelled Vertical Lifts

FEATURES

Standard Items

- Zero Inside Turning Radius
- Multi-Stage Cylinder System
- Proportional Joystick Controls
- Drivable At Full Height
- Non-Marking Tires
- Two-Wheel Drive
- Two-Wheel Steering
- Automatic Braking System
- Emergency Descent System
- Fault Diagnosis System
- Tilt Alarm
- Motion Alarm
- Horn
- Hour Meter
- Standard Transport Forklift Holes
- Charging Protection System
- Flashing Beacon
- Automatic Pothole Protection
- Drive Enable
- Charging Indicator
- Manual Brake Release
- Lanyard Attachment Point
- Tie-Down And Lifting Points
- Platform Load Sense System
- Emergency Stop Button



ZHEJIANG DINGLI MACHINERY CO., LTD.

Address: No.188 Qihang Road, Deqing, HuZhou, Zhejiang P.R.C 313219

Telephone: +86(572)8681688

E-Mail: export@cndingli.com

<https://en.cndingli.com>

Due to continuous technology updates, technical parameters are subject to change without notice. This picture book is for reference only, the actual product shall prevail. The copyright is owned by zhejiang dingli, any content may not be copied for any purpose without written permission.
2025-07



At height, you're safe with us

A large hire fleet of scissor, articulated, telescopic, vertical mast, trailer-mounted, tracked and truck-mounted platforms, delivered fully documented and well maintained. Let us help you choose the right machine.

- ✓ Free site survey and machine selection
- ✓ Periodic inspection and CE paperwork
- ✓ Operator training
- ✓ Transport and delivery across Türkiye
- ✓ Maintenance and on-site service throughout the hire
- ✓ 24/7 on-site support line

1,500+

corporate clients

CE-marked

inspected delivery

Across Türkiye

transport

24/7

on-site support

CONTACT**+90 216 999 95 99**

WhatsApp +90 536 915 98 11

info@skyriseplatform.com

skyriseplatform.com

İhlamurkuyu Mah. Şendal Sok. No: 2 · Ümraniye / İstanbul



Ask on WhatsApp