

SCISSOR LIFT

# S1208AC+

Electric Scissor Lift

MANUFACTURER · DINGLI



+90 216 999 95 99

info@skyriseplatform.com

skyriseplatform.com

İhlamurkuyu Mah. Şendal Sok. No: 2 · Ümraniye / İstanbul



Ask on WhatsApp

# DINGLI

Exceed · New Height

## S1208AC+

Scissor Lifts Series

### SPECIFICATIONS


| Dimension                             | Metric       | British         |
|---------------------------------------|--------------|-----------------|
| Max. Working Height(Indoor) <b>A</b>  | 12.00m       | 39ft 4in        |
| Max. Working Height(Outdoor) ★        | 9.30m        | 30ft 6in        |
| Max. Platform Height(Indoor) <b>B</b> | 10.00m       | 32ft 10in       |
| Max. Platform Height(Outdoor) ★       | 7.30m        | 23ft 11in       |
| Overall Length <b>C</b>               | 2.48m        | 8ft 2in         |
| Overall Width <b>D</b>                | 0.83m        | 2ft 9in         |
| Overall Height(Rails Up) <b>E</b>     | 2.51m        | 8ft 3in         |
| Overall Height(Rails Down) <b>F</b>   | 2.05m        | 6ft 9in         |
| Platform Size(Length × Width)         | 2.27m×0.81m  | 7ft 5in×2ft 8in |
| Platform Extension Size <b>G</b>      | 0.90m        | 2ft 11in        |
| Ground Clearance(Stowed/Raised)       | 0.10m/0.019m | 4in/1in         |
| Wheelbase <b>H</b>                    | 1.87m        | 6ft 2in         |
| Turning Radius(Inside/Outside)        | 0m/2.10m     | 0in/6ft 11in    |
| Tyres                                 | φ381×127mm   | φ381×127mm      |

| Performance                       |          |          |
|-----------------------------------|----------|----------|
| S.W.L                             | 250kg    | 551lb    |
| S.W.L on Extension                | 113kg    | 249lb    |
| Max. Occupants (Indoor/Outdoor)   | 2/0      | 2/0      |
| Max. Occupants (Indoor/Outdoor) ★ | 2/1      | 2/1      |
| Gradeability                      | 25%      | 25%      |
| Travel Speed(Stowed)              | 6.0km/h  | 3.73mph  |
| Travel Speed(Raised)              | 0.8km/h  | 0.50mph  |
| Max. Working Slope(X/Y)           | 1.5°/3°  | 1.5°/3°  |
| Up/Down Speed                     | 54/42sec | 54/42sec |

| Weight         |        |        |
|----------------|--------|--------|
| Overall Weight | 3150kg | 6945lb |

| Power           |                |                |
|-----------------|----------------|----------------|
| Hydraulic Tank  | 20L            | 5.3gal         |
| Lithium Battery | 28.8V/175Ah    | 28.8V/175Ah    |
| Charger         | 28V/30A        | 28V/30A        |
| Driving Motor   | 2×15VAC/0.87kW | 2×15VAC/0.87kW |
| Lifting Motor   | 15VAC/3.42kW   | 15VAC/3.42kW   |

Note: Parameters with "★" are optional



Exceed · New Height

# DINGLI

*Exceed · New Height*

## S1208AC+

Scissor Lifts Series

## FEATURES

### Standard Items

- Proportional Joystick Controls
- Self-lock Gate On Platform
- Drivable At Full Height
- Non-Marking Tires
- Two-Wheel Drive
- Two-Wheel Steering
- Automatic Brake System
- Emergency Descent System
- Cylinder Holding Valve
- Onboard Diagnostic System
- Tilt Alarm
- All Motion Alarm
- Horn
- Hour Meter
- Safety Arm For Troubleshooting
- Standard Transport Forklift Holes
- One-Way Platform Extension Deck
- Charging Protection System
- Flashing LED Beacon
- Foldable Guard Rails
- Automatic Pothole Protection
- Drive Enable
- Charging Indicator
- Manual Brake Release
- Lanyard Attachment Point
- Tie-Down And Lifting Points
- Platform Load Sense System
- Emergency Stop Button
- Hydraulic oil receiver
- Pure electric steering system
- Kinetic energy recovery system



### ZHEJIANG DINGLI MACHINERY CO., LTD.

Address: No.188 Qihang Road, Deqing, Zhejiang P.R.C 313219

Telephone: +86(572)8681688

E-Mail: [export@cndingli.com](mailto:export@cndingli.com)

[Https://en.cndingli.com](https://en.cndingli.com)

Due to continuous technology updates, technical parameters are subject to change without notice. This picture book is for reference only, the actual product shall prevail. The copyright is owned by zhejiang dingli, any content may not be copied for any purpose without written permission.  
2024-12



# At height, you're safe with us

A large hire fleet of scissor, articulated, telescopic, vertical mast, trailer-mounted, tracked and truck-mounted platforms, delivered fully documented and well maintained. Let us help you choose the right machine.

- ✓ Free site survey and machine selection
- ✓ Periodic inspection and CE paperwork
- ✓ Operator training
- ✓ Transport and delivery across Türkiye
- ✓ Maintenance and on-site service throughout the hire
- ✓ 24/7 on-site support line

**1,500+**

corporate clients

**CE-marked**

inspected delivery

**Across Türkiye**

transport

**24/7**

on-site support

## CONTACT

**+90 216 999 95 99**

WhatsApp +90 536 915 98 11

info@skyriseplatform.com

skyriseplatform.com

İhlamurkuyu Mah. Şendal Sok. No: 2 · Ümraniye / İstanbul



Ask on WhatsApp