

SCISSOR LIFT

SS1432E

Electric Scissor Lift

MANUFACTURER · LGMG

+90 216 999 95 99

info@skyriseplatform.com

skyriseplatform.com

İhlamurkuyu Mah. Şendal Sok. No: 2 · Ümraniye / İstanbul



Ask on WhatsApp

LGMG

SS1432E

**ELECTRIC MOTOR DRIVE
SCISSOR LIFT (SS SERIES)**

- Lightweight and compact, this machine can easily be transported in passenger elevators.
- The foldable climbing ladder effectively reduces the overall length of the machine.
- Front-wheel drive, precise and smooth driving control, easy and reliable operation.
- Highly efficient motor drive system provides better climbing performance.
- Excellent load capacity, 510 lbs platform capacity for 2 persons.



LGMG SCISSOR LIFT RANGE (SS SERIES)

SPECIFICATIONS


Models	SS1432E (SS0507E)	
Measurements	Imperial	Metric
Work Height Max.	20'8"	6.3m
A Platform Height-Raised	14'1"	4.3m
B Platform Length	4'5"	1.35m
C Platform Width	2'4"	0.7m
D Overall Length (with ladder)	5'	1.53m
E Overall Width	2'8"	0.81m
F Overall Height-Guardrails Up	7'1"	2.15m
Overall Height-Guardrails Down	5'9"	1.76m
G Extension Deck	2'	0.6m
H Wheelbase	3'8"	1.12m
Ground Clearance(Stowed/Raised)	2"/0.6"	50/16mm
Productivity		
Max. Platform Occupants (In/Out)	2 / 0	2 / 1
Platform Capacity	510 lbs	230kg
Platform Capacity-Extension Deck	265 lbs	113kg
Drive Height	Full Height	
Gradeability-Lowered	25%	25%
Min. Turning Radius	4'11"	1.5m
Raise/Lower Speed	25 / 20s	
Brakes	Front-wheel Brake	
Drive Mode	4x2	4x2
Tires Type	Solid Non-marking	
Tires Size	9"x3"	230x80mm
Ground Pressure, Tyres	93.1 psi	642 kPa
Power		
Power Source	24V (2x12V),150Ah,FLA	
Hydraulic System		
Hydraulic Oil Volume	1gal	4.5L
Weight		
Machine Weight (CE/ANSI)	2,172 lbs	985kg

STANDARD FEATURES

Proportional control	Swing-out component tray
Foldable guardrail	Self-lock entry gate
Emergency stop device	Tilt alarm with lift cut-out
Manual brake release	Overload sensing system
Emergency descent	Descent alarm with flashing beacon
Pothole guard	Intelligent diagnostic system
All motions alarm	Solid non-marking tires
Full-height drive	

OPTIONAL

AC power to platform	Anti-collision protection
Telematics	Maintenance-free battery
Voice alarm system	Biodegradable hydraulic oil



Please contact LGMG or a local dealer for more details.

LGMG reserves the right to change technical data without prior notice. All photos and pictures in this brochure are for promotional purposes only.

LGMG North America Inc.

Address: 4105 Live Oak Drive, Suite 100, The Colony, Texas 75056 United States

Email: sales@lmgna.com Tel: +1 833 288 5464

www.lmgna.com



RELIABILITY IN ACTION

At height, you're safe with us

A large hire fleet of scissor, articulated, telescopic, vertical mast, trailer-mounted, tracked and truck-mounted platforms, delivered fully documented and well maintained. Let us help you choose the right machine.

- ✓ Free site survey and machine selection
- ✓ Periodic inspection and CE paperwork
- ✓ Operator training
- ✓ Transport and delivery across Türkiye
- ✓ Maintenance and on-site service throughout the hire
- ✓ 24/7 on-site support line

1,500+

corporate clients

CE-marked

inspected delivery

Across Türkiye

transport

24/7

on-site support

CONTACT

+90 216 999 95 99

WhatsApp +90 536 915 98 11

info@skyriseplatform.com

skyriseplatform.com

İhlamurkuyu Mah. Şendal Sok. No: 2 · Ümraniye / İstanbul



Ask on WhatsApp