

MAKASLI PLATFORM

SS1432E

Akülü makaslı platform

ÜRETİCİ · LGMG

+90 216 999 95 99

info@skyriseplatform.com

skyriseplatform.com

İhlamurkuyu Mah. Şendal Sok. No: 2 · Ümraniye / İstanbul



WhatsApp ile sor

LGMG

SS1432E

**ELECTRIC MOTOR DRIVE
SCISSOR LIFT (SS SERIES)**

- Lightweight and compact, this machine can easily be transported in passenger elevators.
- The foldable climbing ladder effectively reduces the overall length of the machine.
- Front-wheel drive, precise and smooth driving control, easy and reliable operation.
- Highly efficient motor drive system provides better climbing performance.
- Excellent load capacity, 510 lbs platform capacity for 2 persons.



LGMG SCISSOR LIFT RANGE (SS SERIES)

SPECIFICATIONS


Models	SS1432E (SS0507E)	
Measurements	Imperial	Metric
Work Height Max.	20'8"	6.3m
A Platform Height-Raised	14'1"	4.3m
B Platform Length	4'5"	1.35m
C Platform Width	2'4"	0.7m
D Overall Length (with ladder)	5'	1.53m
E Overall Width	2'8"	0.81m
F Overall Height-Guardrails Up	7'1"	2.15m
Overall Height-Guardrails Down	5'9"	1.76m
G Extension Deck	2'	0.6m
H Wheelbase	3'8"	1.12m
Ground Clearance(Stowed/Raised)	2"/0.6"	50/16mm
Productivity		
Max. Platform Occupants (In/Out)	2 / 0	2 / 1
Platform Capacity	510 lbs	230kg
Platform Capacity-Extension Deck	265 lbs	113kg
Drive Height	Full Height	
Gradeability-Lowered	25%	25%
Min. Turning Radius	4'11"	1.5m
Raise/Lower Speed	25 / 20s	
Brakes	Front-wheel Brake	
Drive Mode	4×2	4×2
Tires Type	Solid Non-marking	
Tires Size	9"x3"	230×80mm
Ground Pressure, Tyres	93.1 psi	642 kPa
Power		
Power Source	24V (2x12V),150Ah,FLA	
Hydraulic System		
Hydraulic Oil Volume	1gal	4.5L
Weight		
Machine Weight (CE/ANSI)	2,172 lbs	985kg

STANDARD FEATURES

Proportional control	Swing-out component tray
Foldable guardrail	Self-lock entry gate
Emergency stop device	Tilt alarm with lift cut-out
Manual brake release	Overload sensing system
Emergency descent	Descent alarm with flashing beacon
Pothole guard	Intelligent diagnostic system
All motions alarm	Solid non-marking tires
Full-height drive	

OPTIONAL

AC power to platform	Anti-collision protection
Telematics	Maintenance-free battery
Voice alarm system	Biodegradable hydraulic oil



Please contact LGMG or a local dealer for more details.

LGMG reserves the right to change technical data without prior notice. All photos and pictures in this brochure are for promotional purposes only.

LGMG North America Inc.

Address: 4105 Live Oak Drive, Suite 100, The Colony, Texas 75056 United States

Email: sales@lmgna.com Tel: +1 833 288 5464

www.lmgna.com



RELIABILITY IN ACTION

Yükseklerde bizimle güvendesiniz

Makaslı, eklemli, teleskopik, dikey, çekilebilir, paletli ve araçüstü platformlardan oluşan geniş kiralık filo; belgeli ve bakımlı olarak teslim edilir. İhtiyacınıza uygun makineyi birlikte seçelim.

- ✓ Ücretsiz keşif ve makine seçimi
- ✓ Periyodik kontrol ve CE evrakları
- ✓ Operatör eğitimi
- ✓ Türkiye geneli nakliye ve teslimat
- ✓ Kiralama boyunca bakım ve yerinde servis
- ✓ 7/24 saha destek hattı

1.500+

kurumsal müşteri

CE belgeli

kontrollü teslimat

Türkiye geneli

nakliye

7/24

saha desteği

İLETİŞİM

+90 216 999 95 99

WhatsApp +90 536 915 98 11

info@skyriseplatform.com

skyriseplatform.com

İhlamurkuyu Mah. Şendal Sok. No: 2 · Ümraniye / İstanbul



WhatsApp ile sor