

EKLEMLİ PLATFORM

AB26J PLUS (AB850J PLUS)

Dizel eklemli platform

ÜRETİCİ · SINOBOOM



+90 216 999 95 99

info@skyriseplatform.com

skyriseplatform.com

İhlamurkuyu Mah. Şendal Sok. No: 2 · Ümraniye / İstanbul



WhatsApp ile sor

ENGINE POWERED ARTICULATING BOOM LIFTS

AB26J PLUS (AB850J PLUS)

Compliant with CE/EAC standards

PRODUCT HIGHLIGHTS

Leading Platform Height

- 25.65 m (84'2") platform height, higher than most other brands in this range

Leading Horizontal Outreach

- 19.1 m (62'8") maximum horizontal outreach, longer than most other brands in this range

Increased Platform Capacity

- Update the platform capacity from 230kg to 230kg/340 kg(unrestricted/restricted)

Active Oscillating Function

- allow oscillating at both stowed and raised positions

4WS With 3 Steering Modes

- Convenience for driving on the narrow job site

Transport in Container

- The new boom structure design allows driving into containers for transportation

Safer Boom Movement Interlock

- The telescopic and lifting of the secondary boom are hydraulic and electric dual interlocked



Standard Features		
Hydraulic platform leveling	180° platform rotation	Active oscillating function
Automotive sleeves for all pipes	Four-wheel brake	Max allowable tilt angle at 5°
Flashing beacon	Weighing system	4WD x 4WS
Tilt protection system	Emergency lowering system	Fault diagnosis system
Emergency stop system	Horn and buzzer	Motion alarm
Mechanical release for travel braking	7-in smart screen	Rear position and travel confirmation
Manual storage box	Foot switch	360° continuous turntable rotation
Foam-filled tires	2.44m side entry swing gate	Proportional control with 3 joysticks
Telematics-ready connector	Secondary guarding device	Tool box
Drive into container for transport		
Options & Accessories		
AC power socket on platform	Solid tires	Non-marking Foam filled tires
Half-mesh	Glazier kit	Hydraulic generator
Platform work light	Overhead anti-collision device	Anti-finger pinch device
Oil cooler	AC power to platform	Anemometer

SINOBOOM™

PARTNERS IN ACCESS™

SINOBOOM.COM | SALES@SINOBOOM.COM



NO.128 EAST JINZHOU AV., NINGXIANG HI-TECH INDUSTRY PARK, CHANGSHA, HUNAN, CHINA, 410600

ENGINE POWERED ARTICULATING BOOM LIFTS

AB26J PLUS (AB850J PLUS)

Compliant with CE/EAC standards

Model	AB26J Plus (AB850J Plus)
Dimensions	
Max Platform Height	25.65 m (84'2")
Max Working Height	27.65 m (90'9")
Max Horizontal Outreach (230kg/340kg)	19.1 m / 17.0 m (62'8" / 55'9")
Max Up and Over Clearance	8.8 m (28'10")
A Stowed Length	12.09 m (39'8")
B Machine Width	2.49 m (8'2")
C Stowed Height	2.93 m (9'7")
Stowed Length (Transport)	9.49 m (31'2")
Stowed Height (Transport)	3.28 m (10'9")
D Wheelbase	3.0 m (9'10")
Ground Clearance	0.41 m (1'4")
Platform Size (L×W×H)	2.44 m × 0.91 m × 1.1 m (8' × 3' × 3'7")
Performance	
Max Platform Capacity (Unrestricted/Restricted)	230 kg/340 kg (507 lbs/749 lbs)
Max Platform Occupants	2 Persons
Drive Speed (Stowed)	0 ~ 4.8 km/h (0 ~ 3.0 mph)
Drive Speed (Raised)	0 ~ 1.1 km/h (0 ~ 0.7 mph)
Gradeability	45%
Turntable Rotation	360° /Continuous
Platform Rotation	180°
Tilt Rating	5°
Turning Radius(Inside/Outside)	3.65 m/6.91 m (11'12" / 22'8") (Two-wheel steering) 2.25 m/4.60 m (7'5" / 15'1") (Four-wheel steering)
Turntable Tail-swing	1.13 m (3'8")
Max Allowable Side Force	400 N (90 lbf)
Max Allowable Wind Speed	12.5 m/s (28 mph)
Tire Spec/Type	385/65-22.5 /foam-filled
Power	
Drive × Steer	4 WD × 4 WS (2 WS optional)
Engine	43 kW/2500 rpm/QSF2.8T3NA60 / Cummins /China T3、 EU Stage 3A 36 kW/2500 rpm/F2.8CS449/ Cummins /China T4 36.8 kW/2200 rpm/YCF3050 / Yuchai /China T4 36.5 kW/2200 rpm/YCF3050 / Yuchai /China T3 55.4 KW /2600 rpm/ TD2.9 L4/Deutz/EU stage V、 EPA Tier 4F
Hydraulic Tank Capacity	180 L (39.6 gal (UK)/47.6 gal (US))
Diesel Tank Capacity	150 L (33.0 gal (UK)/39.6 gal (US))
System Voltage	12 V DC
Weight	
Weight	18,640 kg (41,094 lbs) (Two-wheel steering) 18,760 kg (41,358 lbs) (Four-wheel steering)
Standards Compliance	CE/EAC



We reserve the right to make specification. The above represents the current specifications at time of publications. 9. 2025

Yükseklerde bizimle güvendesiniz

Makaslı, eklemli, teleskopik, dikey, çekilebilir, paletli ve araçüstü platformlardan oluşan geniş kiralık filo; belgeli ve bakımlı olarak teslim edilir. İhtiyacınıza uygun makineyi birlikte seçelim.

- ✓ Ücretsiz keşif ve makine seçimi
- ✓ Periyodik kontrol ve CE evrakları
- ✓ Operatör eğitimi
- ✓ Türkiye geneli nakliye ve teslimat
- ✓ Kiralama boyunca bakım ve yerinde servis
- ✓ 7/24 saha destek hattı

1.500+

kurumsal müşteri

CE belgeli

kontrollü teslimat

Türkiye geneli

nakliye

7/24

saha desteği

İLETİŞİM

+90 216 999 95 99

WhatsApp +90 536 915 98 11

info@skyriseplatform.com

skyriseplatform.com

İhlamurkuyu Mah. Şendal Sok. No: 2 · Ümraniye / İstanbul



WhatsApp ile sor